

Bee City USA Recommended Wildflower Pollinator Friendly Plant List for Asheville, NC Area (Note: List is not exhaustive.) Revised 6/2/17

| Botanical Name | Common Name(s) | Bloom Time | Bloom Color | Height | Sun | Soil Moisture | Visitation by Pollinator | Larval Host | Local Nursery (SEE BELOW) By Code |
|--|---|-------------------|-----------------------|---------------|------------------------|----------------------|---|--------------------|--|
| <i>Achillea millefolium</i> | Yarrow, Common yarrow, Milfoil, Western yarrow | Apr-Sep | white, pink | 3' | sun, part shade | dry | bees | | A, C, E, F, G, I, L, R |
| <i>Actaea podocarpa</i> | Yellow Cohosh | Jul-Sep | white | 2-4' | shade to partial shade | moist | butterflies, hummingbirds | X | H |
| <i>Actaea racemosa</i> | Black Cohosh, Black bugbane, Bugbane, Black snakeroot, Fairy candles | May-Sep | white | 3-5' | shade to partial shade | moist | butterflies, hummingbirds | X | A, B, C, E, F, G, H, L, P, R |
| <i>Antennaria plantaginifolia</i> | Plantain-leaf Pussytoes, Woman's tobacco, Everlasting, Mouse ear | Mar-May | white to pale pink | 1' | sun to partial shade | dry | bees, butterflies | X | A, H, Q |
| <i>Aquilegia canadensis</i> | Wild columbine | Apr-June | Red | 1-2' | shade to partial shade | moist, well-drained | hummingbirds, butterflies | X | A, C, E, F, G, R |
| <i>Aruncus dioicus</i> var. <i>dioicus</i> | Goat's beard, Eastern Goatsbeard, Bride's feathers | Jun-Jul | white | 4-5' | shade to partial shade | moist | butterflies, bees, beetles | X | A, C, E, F, G, H, L, P, R |
| <i>Asclepias exaltata</i> | Tall Milkweed | Jun-Jul | white | 3-4' | sun to partial shade | moist | butterflies, hummingbirds | X | A, E, H |
| <i>Asclepias incarnata</i> | Swamp Milkweed, Pink Milkweed | Jun-Oct | rose-purple | 3-6' | sun, part-shade | medium to moist | bees, bumble bees, honey bees, butterflies, moths, hummingbirds | X | A, C, E, F, G, H, J, L, Q, R |
| <i>Asclepias syriaca</i> | Common Milkweed, Butterfly flower, Silkweed, Silky Swallow-wort, Virginia Silkweed | Jun-Aug | purple | 3-6' | sun | moist | bees, bumble bees, honey bees, butterflies, moths | X | A, E, F, G, H, J, L, Q, R |
| <i>Asclepias tuberosa</i> | Butterflyweed, Butterfly milkweed, Orange milkweed, Pleurisy root | Jun-Sep | orange, yellow | 1-2' | sun, part-shade | dry, moist | bees, bumble bees, honey bees, butterflies, moths, hummingbirds | X | A, C, E, F, G, H, I, J, L, P, Q, R |
| <i>Baptisia alba</i> | White wild indigo | Apr-Jul | white | 2-4' | sun | dry,moist | bees, bumble bees | | A, E, H, L, R |
| <i>Baptisia australis</i> | Blue wild indigo, Wild blue indigo, Blue false indigo | Apr-Jul | blue purple | 3-5' | sun | moist | bees, bumble bees | | A, C, E, F, G, H, L, R |
| <i>Baptisia tinctoria</i> | Yellow Wild indigo | Jul-Aug | pink | 2-3' | sun to partial shade | dry | butterflies, bees | X | E, F, H, L |
| <i>Carex appalachica</i> | Appalachian sedge | May | green | 1' | part shade, shade | dry to moist | butterflies | X | Q |
| <i>Chelone lyonii</i> | Appalachian Turtlehead, Pink Turtlehead | Aug-Oct | purple | 2-4' | sun to partial shade | wet to moist | bees, butterflies, hummingbirds | X | A, C, E, F, G, L, P, R |
| <i>Chelone obliqua</i> | Red turtlehead | Jul-Sep | pink, purple or white | 2-3' | full sun to part shade | medium to wet | bumble bees, hummingbirds | | Q |
| <i>Chrysogonum virginianum</i> | Green and Gold, Green-and-gold, Goldenstar | Apr-Oct | yellow | 1' | part shade | moist | bees, flies | | P |

Bee City USA Recommended Wildflower Pollinator Friendly Plant List for Asheville, NC Area (Note: List is not exhaustive.) Revised 6/2/17

| Botanical Name | Common Name(s) | Bloom Time | Bloom Color | Height | Sun | Soil Moisture | Visitation by Pollinator | Larval Host | Local Nursery (SEE BELOW) By Code |
|---|--|------------|---------------|--------|--------------------------|---------------------------|------------------------------------|-------------|-----------------------------------|
| <i>Coreopsis auriculata</i> | Lobed tickseed, Early coreopsis, Eared coreopsis, Dwarf tickseed | Mar-May | yellow | 1-2' | sun to partial shade | moist | butterflies | | E, F, G, I, P |
| <i>Coreopsis grandiflora</i> | Largeflower tickseed, Large-flower tickseed, Coreopsis | May-Jun | yellow | 1-2' | part shade | dry | butterflies, bees | | A, E, G, R |
| <i>Coreopsis lanceolata</i> | Lanceleaf coreopsis, Lanceleaf tickseed, Lance-leaved coreopsis, Sand coreopsis | Apr-Jun | yellow | 1-2' | sun , part shade , shade | dry | butterflies, bees | | E, F, H, L, Q, R |
| <i>Coreopsis pubescens</i> | Hairy Coreopsis | Jul-Sep | golden-yellow | 3-4' | sun to partial shade | dry to dry-mesic | butterflies, beetles, hummingbirds | | E |
| <i>Coreopsis tripteris</i> | Tall tickseed, Tall coreopsis | Jul-Sep | yellow | 3-9' | part shade | moist | bees | | A, E |
| <i>Dicentra eximia</i> | Wild Bleeding Heart, Turkey corn, Fringed bleedinghearts, Wild bleedingheart | Apr-Jun | rose-pink | 12-18" | shade to partial shade | moist, well-drained, thin | hummingbirds, bees | | A, C, E, F, G, I, L, P, R |
| <i>Diphylleia cymosa</i> | Umbrella Leaf | Apr-Jun | white | 2-3' | shade to partial shade | moist to wet | bees, beetles, flies | | F, L |
| <i>Dodecatheon meadia</i> | Shooting star | May-Jun | white, pink | 1-3' | part shade | moist | bees | | Q |
| <i>Echinacea purpurea</i> | Eastern purple coneflower, Purple coneflower | Apr-Sep | pink, purple | 2-5' | sun, part-shade | dry | bees, butterflies, hummingbirds | | A, C, E, F, G, I, L, O, R |
| <i>Eryngium yuccifolium</i> | Button eryngo, Button snakeroot, Rattlesnake master, Beargrass, Bear's grass | May-Aug | white | to 6' | sun | moist | bees | | A, C, L, P |
| <i>Eupatoriadelphus fistulosus</i> (AKA <i>Eupatorium fistulosum</i>) | Hollow-stem Joe-pyeweed (AKA Trumpetweed) | Jul-Sep | lavender pink | 3-5' | sun to partial shade | moist to wet | bees, butterflies | X | A, F, L, P |
| <i>Eupatoriadelphus maculatus</i> AKA: <i>Eupatorium</i> (or <i>Eutrochium</i>) <i>maculatum</i> | Spotted Joy Pye Weed, Spotted Trumpetweed | Aug-Sep | pink, purple | 3-6' | sun, part-shade | moist, wet | butterflies, bees, moths | X | A, C, E, F, P |
| <i>Eupatorium perfoliatum</i> | Common boneset | Jun-Oct | white | 3-6' | sun, part-shade, shade | moist, wet | butterflies, bees | | A, E, G, L, Q |

Bee City USA Recommended Wildflower Pollinator Friendly Plant List for Asheville, NC Area (Note: List is not exhaustive.) Revised 6/2/17

| Botanical Name | Common Name(s) | Bloom Time | Bloom Color | Height | Sun | Soil Moisture | Visitation by Pollinator | Larval Host | Local Nursery (SEE BELOW) By Code |
|--|---|------------|-------------------------|--------|------------------------|---------------|---------------------------------|-------------|-----------------------------------|
| <u>Eurybia divaricata</u> | White Wood Aster | Aug-Oct | white (yellow center) | 2-3' | shade to partial shade | moist | butterflies, bees | X | A, C, E, F, G, L, P |
| <u>Galax urceolata</u> (aka <u>Galax aphylla</u> , <u>Galax rotundifolia</u>) | Galax, Beetleweed, Coltsfoot, Wand flower | May-Jul | white | 4-6" | shade to sun | moist to dry | bees, flies | | A, C, G, H, L |
| <u>Gentianella quinquefolia</u> | Eastern Agueweed, Small Agueweed | Aug-Oct | blue | 6"-2' | sun to partial shade | dry to moist | bees, flies | | |
| <u>Geranium maculatum</u> | Wild Geranium | Apr-May | pink to rose | 1-2' | shade | moist | butterflies, bees | X | A, F, L |
| <u>Helenium autumnale</u> | Helen's flower, Common sneezeweed, Autumn sneezeweed | Jul-Oct | yellow | 2-5' | sun | moist | bees, butterflies | | E, G, R |
| <u>Helenium flexuosum</u> | Purplehead sneezeweed | Jun-Aug | yellow | 2-4' | sun | dry | bees | | |
| <u>Helianthus angustifolius</u> | Swamp Sunflower | Oct | yellow | 1-3' | part shade | wet | bees | | A, G |
| <u>Helianthus annuus</u> | Common Sunflower | Jul-Oct | yellow | 2-8' | sun | dry | bees | | |
| <u>Helianthus atrorubens</u> | Appalachian sunflower, purpledisk sunflower | Jul-Sep | yellow with purple cntr | 4-7' | sun to partial shade | dry | butterflies, bees | X | |
| <u>Helianthus divaricatus</u> | Woodland sunflower, Rough sunflower | Jul-Sep | yellow | 2-6' | sun, part shade, shade | dry | bees | | L |
| <u>Helianthus microcephalus</u> | Small-headed sunflower, Small woodland sunflower | Aug-Sep | yellow | 3-6' | shade to partial shade | moist to dry | bees | X | G |
| <u>Helianthus tuberosus</u> | Jerusalem artichoke, Sunchoke | Aug-Oct | red, pink, yellow | 6-10' | sun | dry, moist | bees | | A |
| <u>Heliopsis helianthoides</u> | Smooth oxeye, falso sunflower | Jul-Sep | yellow | 3-6' | sun | moist | bees, hummingbirds, butterflies | | E, F, G, Q, R |

Bee City USA Recommended Wildflower Pollinator Friendly Plant List for Asheville, NC Area (Note: List is not exhaustive.) Revised 6/2/17

| Botanical Name | Common Name(s) | Bloom Time | Bloom Color | Height | Sun | Soil Moisture | Visitation by Pollinator | Larval Host | Local Nursery (SEE BELOW) By Code |
|---|---|------------|---------------------------|--------|------------------------|---|--|-------------|-----------------------------------|
| <i>Heuchera americana</i> | American alumroot, Alumroot | Mar-Aug | red, green, purple, brown | 1-3' | part shade, shade | low to medium | | | Q |
| <i>Heuchera villosa</i> | Rock Alumroot, Hairy alumroot | Jul-Aug | white | 1-2' | shade to partial shade | dry to moist, well drained thin soils, acidic | hummingbirds, butterflies | | A, B, C, E, F, G, H, L, P, R |
| <i>Hexastylis shuttleworthii</i> | Large-flowered Heartleaf | May-Jun | brown | 4-6" | shade | mesic, acidic | beetles, flies | | A, B, F, L |
| <i>Hibiscus moscheutos</i> | Crimson-eyed rose mallow, Marsh mallow hibiscus | Jul-Sep | white to pink | 3-6' | sun to partial shade | moist to wet | bees, butterflies, hummingbirds | X | F, G, H, R |
| <i>Hylotelephium telephioides</i> | Appalachian Live-forever, Allegheny stonecrop | Jul-Sep | pink | 1-2' | sun | dry | butterflies | | |
| <i>Iris cristata</i> (Alton) AKA: <i>Neubeckia cristata</i> (Aiton) Alef. | Dwarf Crested Iris | Apr-May | blue | 1' | shade to partial shade | moist | hummingbirds, bees | | A, B, C, G, H, L, Q, R |
| <i>Liatris scariosa</i> var. <i>scariosa</i> | Northern Blazing-star | Aug-Sep | rosy-pink | 1-2' | sun | dry | butterflies, bees | | C, G, L |
| <i>Liatris spicata</i> var. <i>spicata</i> | Dense Blazing-star, Dense gayfeather, Marsh blazing star | Jul-Sep | rosy-pink | 1-3' | sun | dry to wet | hummingbirds, butterflies, bees | | A, C, E, L, P, R |
| <i>Liatris squarrosa</i> | Scaly Blazingstar, Gayfeather | Aug-Sep | purple | 1-2' | full sun | dry to medium | hummingbirds, butterflies, bees | | Q |
| <i>Lilium michauxii</i> | Carolina lily | Jul-Aug | orange with purple spots | 2-4' | partial shade | dry | hummingbirds, butterflies | | |
| <i>Lilium superbum</i> | Turk's-cap Lily | Jul-Aug | orange to yellow | to 8' | shade to partial shade | moist to wet | hummingbirds, moths, bees, butterflies | | A, H, L, P |

Bee City USA Recommended Wildflower Pollinator Friendly Plant List for Asheville, NC Area (Note: List is not exhaustive.) Revised 6/2/17

| Botanical Name | Common Name(s) | Bloom Time | Bloom Color | Height | Sun | Soil Moisture | Visitation by Pollinator | Larval Host | Local Nursery (SEE BELOW) By Code |
|--|---|------------|---------------------|--------|------------------------|------------------|--|-------------|------------------------------------|
| <u>Lobelia cardinalis</u> | Cardinal Flower | Jul-Sep | red | 3-4' | sun to partial shade | moist to wet | hummingbirds, butterflies, bees | | A, B, C, E, F, G, L, P, Q, R |
| <u>Lobelia siphilitica</u> | Great Blue Lobelia | Jul-Sep | blue | 2-3' | sun to partial shade | moist to wet | hummingbirds, bees, butterflies | | A, B, C, F, G, H, L, P, Q, R |
| <u>Monarda didyma</u> | Bee Balm, Scarlet beebalm, Oswego tea, Red bergamot | Jul-Sep | scarlet red | 2-6' | sun to partial shade | moist to wet | hummingbirds, butterflies, bees | X | A, B, C, E, F, G, H, I, L, P, Q, R |
| Monarda fistulosa | Wild bergamot, Beebalm | May-Sep | white, pink, purple | 2-5' | sun, part-shade | dry, moist | hummingbirds, butterflies, bees, bumble bees | | A, E, F, L, P, Q |
| Packera aurea | Golden Ragwort (easy to dig in wild and transplant) | Mar-Aug | yellow | 1-3' | sun, part-shade, shade | moist | bees | | |
| Penstemon canescens | Appalachian beardtongue, Eastern gray beardtongue | May-Jun | violet | 1-3' | sun to partial shade | dry to dry-mesic | hummingbirds, bees, butterflies | X | F |
| Penstemon digitalis | Mississippi penstemon, Smooth white beardtongue, Talus slope penstemon, Foxglove beardtongue | May-Jul | white | 1-3' | sun, part-shade | wet, moist, dry | bees, bumble bees, hummingbirds | | C, E, F, I, L, R |
| Penstemon smallii | Blue Ridge Beardtongue, Smalls Penstemon | May-Jun | deep pink to purple | 1-2' | sun to partial shade | dry to dry-mesic | butterflies, bees, hummingbirds | X | A, L, P, R |
| Phlox carolina | Carolina phlox, Summer phlox, Thicket phlox | May-Oct | white, pink, purple | 2-3' | sun, part-shade | moist, wet | butterflies, hummingbirds, bats, moths, flies, bees, beetles | | A, F |
| <u>Phlox divaricata</u> ssp. <u>divaricata</u> | Eastern Blue Phlox, Wild Blue Phlox, Louisiana phlox, Blue woodland phlox, Sweet william, Wild sweet william | Apr-May | blue | 1' | shade | moist | bees, butterflies | | A, B, C, E, F, G, I, L, R |
| Phlox maculata | Wild sweetwilliam, Phlox, Meadow phlox, Wild sweet William | May-Sep | red, purple | ? | sun | wet | ? | | L, P |
| Phlox paniculata | Fall phlox, Perennial phlox | Jun-Aug | pink, purple | 3-4' | sun | moist | ? | | A, C, E, G, I, R |

Bee City USA Recommended Wildflower Pollinator Friendly Plant List for Asheville, NC Area (Note: List is not exhaustive.) Revised 6/2/17

| Botanical Name | Common Name(s) | Bloom Time | Bloom Color | Height | Sun | Soil Moisture | Visitation by Pollinator | Larval Host | Local Nursery (SEE BELOW) By Code |
|-------------------------------|--|------------|-----------------------|--------------|------------------------|---------------|---|-------------|-----------------------------------|
| Phlox pilosa | Downy phlox, Prairie phlox, Fragrant phlox | Mar-May | white, pink, purple | 1-2' | sun, part-shade | dry | butterflies, hummingbirds | | |
| <u>Phlox stolonifera</u> | Creeping Phlox | Apr-May | blue | 1' | shade | moist | bees, butterflies | | A, C, E, G, L, R |
| Phlox subulata | Creeping Phlox, Moss phlox, Moss pink, Rock pink | Mar-Jun | white, pink, purple | ground cover | sun, part-shade | dry | ? | | A, C, E, G, I, R |
| Physostegia virginiana | Obident plant | Jul-Oct | white, pink, purple | 3-5' | sun to partial shade | moist | butterflies, hummingbirds | | A, E, F, G, R |
| Pycnanthemum incanum | Hoary mountatinmint | Jul-Sept | white | 2-3' | sun to partial shade | moist to dry | bees, butterflies | | A, R |
| Pycnanthemum muticum | Clustered mountainmint, Mountain mint, Short-toothed mountain mint | Jul-Sep | white | 2-3' | sun to partial shade | moist to dry | bees, honeybees, butterflies, moths | | C, E, G, H, P, R |
| Ratibida columnifera | Mexican hat, Prairie coneflower, Upright prairie coneflower, Red-spike mexican-hat, Long-headed coneflower, Thimbleflower | May-Oct | orange, yellow, brown | 1-3' | sun | dry, moist | bees | | E, G, L, R |
| Rudbeckia fulgida | Orange coneflower | Jun-Oct | yellow | 2-3' | full sun | dry to medium | butterflies | | Q |
| Rudbeckia hirta | Black-eyed Susan, Common black-eyed Susan, Brown-eyed Susan | Jun-Oct | yellow | 1-3' | sun, shade, part-shade | moist, dry | bees, butterflies, moths | X | A, E, F, G, I, R |
| <u>Rudbeckia laciniata</u> | Cutleaf coneflower, Green-head coneflower, Cut-leaf coneflower | Jul-Oct | yellow | 4-6' | sun to partial shade | moist to wet | bees, flies, wasps, butterflies, moths | X | A, C, F, H, L, Q, R |
| Rudbeckia triloba | Brown-eyed Susan | Jul-Sep | yellow | 2-4' | sun to partial shade | dry to moist | bees, flies, wasps, butterflies, moths, beetles | X | C, G, R |
| Salvia lyrata | Lyreleaf sage, Cancer weed | April-June | purple | 1-2' | full sun | medium to wet | butterflies | | Q |
| <u>Sanguinaria canadensis</u> | Bloodroot | Mar-Apr | white | 1' | shade | moist | bees, beetles, flies | | A, F, G, L |

Bee City USA Recommended Wildflower Pollinator Friendly Plant List for Asheville, NC Area (Note: List is not exhaustive.) Revised 6/2/17

| Botanical Name | Common Name(s) | Bloom Time | Bloom Color | Height | Sun | Soil Moisture | Visitation by Pollinator | Larval Host | Local Nursery (SEE BELOW) By Code |
|--|--|-------------------|--------------------|---------------|------------------------|----------------------|--|--------------------|--|
| <i>Sedum glaucophyllum</i> | Cliff Stonecrop | May-Jun | white | ground cover | partial shade | moist | butterflies | | |
| <i>Silene virginica</i> | Fire Pink, Firepink | May-Jul | red | 1' | sun to partial shade | moist | hummingbirds, flies, bees, butterflies | | A, B, C, F, G, L, P |
| <i>Solidago canadensis</i> | Canada goldenrod, Canadian goldenrod, Tall goldenrod, Giant goldenrod | Sep-Nov | yellow | 3-6' | sun, part-shade | moist, dry | bees, honey bees, butterflies, beetles | X | A, E, F, G |
| <i>Solidago curtisii</i> | Curtis's Goldenrod | Aug-Oct | yellow | 1-2' | shade to partial shade | moist | butterflies, beetles, bees | X | A |
| <i>Solidago roanensis</i> | Roan Mountain goldenrod | Jul-Sep | yellow | 1-2' | sun | dry | butterflies, beetles, bees | X | H |
| <i>Solidago rugosa</i> | Wrinkle-leaf goldenrod, rough-stemmed | Jul-Oct | yellow | 3-5' | sun | moist | bees, butterflies, beetles | X | A, E, F, G, R |
| <i>Symphotrichum cordifolium</i> | Blue Wood Aster | Sep-Oct | blue | 2-3' | shade to partial shade | moist | butterflies, bees, wasps, flies, beetles | X | A, B, E, F |
| <i>Symphotrichum laeve</i> (AKA <i>Aster laevis</i>) | Smooth Aster, Smooth Blue Aster, Smooth American Aster | Aug-Oct | blue | 2-4' | full sun | dry to medium | bees | | Q |
| <i>Symphotrichum nov-angliae</i> | New England Aster | Aug-Oct | white to purple | 3-5' | sun to partial shade | moist to dry | butterflies, bees, wasps, flies, beetles | X | A, E, F, G |
| <i>Symphotrichum oblongifolium</i> | Aromatic aster (prune in June to keep thick) | Sep-Dec | purple | 1-2' | sun to part-shade | dry-moist | bees | | |
| <i>Symphotrichum undulatum</i> | Wavy-leaved Aster | Aug-Nov | blue to lilac | 3-4' | sun to partial shade | dry | butterflies, bees | X | A |
| <i>Symphotrichum patens</i> | Late blooming aster, Late purple aster | Aug-Oct | purple | 2-3' | sun to partial shade | dry to medium | butterflies | | Q |
| <i>Thermopsis villosa</i> (AKA <i>Thermopsis caroliniana</i>) | Bush Pea, Aaron's-rod, Carolina Bush Pea, Carolina Lupine | May-Jun | yellow | 3-7' | sun to partial shade | dry to moist | butterflies | | A, C, F, G, H, L, Q, R |
| <i>Tiarella cordifolia</i> | Foamflower, Heartleaf foamflower, Heart-leaf foamflower | Apr-May | white | 1-2' | shade | | butterflies, bees | | A, B, C, E, F, G, H, I, L, P, R |
| <i>Tradescantia ohiensis</i> | Ohio Spiderwort, Blue jacket | Mar-Aug | red, blue | 2-3' | part shade | dry | bees, bumble bees | | A, C, E, P |

Bee City USA Recommended Wildflower Pollinator Friendly Plant List for Asheville, NC Area (Note: List is not exhaustive.) Revised 6/2/17

| Botanical Name | Common Name(s) | Bloom Time | Bloom Color | Height | Sun | Soil Moisture | Visitation by Pollinator | Larval Host | Local Nursery (SEE BELOW) By Code |
|---|--|------------|-------------|--------|-----------------------|---------------|---|-------------|-----------------------------------|
| Trillium luteum | Yellow Trillium | Apr-Jun | yellow | 1' | shade, higher calcium | moist | bees, beetles | X | A, B, F, G, L |
| Vernonia noveboracensis (AKA Vernonia glauca) | Ironweed, New York Ironweed, Broadleaf Ironweed | Aug-Sep | purple | 3-7' | sun to partial shade | moist to wet | butterflies, honey bees | X | A, C, E, F, G, I, L, P, R |
| Zizia aurea | Golden zizia, Golden Alexanders | Apr-Aug | yellow | 1-3' | sun, part-shade | moist | bees, butterflies (Larval host to Black Swallowtail) | X | A, P |

LOCAL NURSERIES THAT STOCK THESE PLANTS (Always confirm that plants have not be treated with neonicotinoid insecticides)

| Name | Code | Location | Website |
|-------------------------------|----------|----------------|---|
| Sandy Mush Herb Nursery | A | Leicester | www.sandymushherbs.com |
| Eagle Feather Organic Farm | B | Marshall | www.ncgoldenseal.com |
| Willow Creek Nursery | C | Weaverville | www.ashevilleperennials.com |
| Elk Mountain Nursery | D | Asheville | http://elk-mountain.com |
| Painters Greenhouse | E | Old Fort | www.paintersgreenhouse.com |
| Big Pine Native Gardens | F | Marshall | https://www.facebook.com/pages/Big-Pine-Native-Gardens/163428123721013 |
| Reems Creek Nursery | G | Weaverville | www.reemscreek.com |
| Red Root Native Nursery | H | Barnardsville | www.redrootnatives.com |
| Henn's Plant Farm | I | Fletcher | http://www.hennsplantfarm.com |
| Geowild | J | Weaverville | 828-318-4262 |
| Carolina Native Nursery | K | Burnsville | www.carolinanativenursery.com |
| Gardens of the Blue Ridge | L | Pineola | http://www.gardensoftheblueridge.com |
| Sisters Floribunda | M | Swanannoa | 828-298-2271. |
| Plant Wise Solutions | N | Spindale | http://www.plantwisesolutions.com/plants |
| Useful Plants Nursery | O | Black Mountain | www.usefulplants.org |
| Natural Selections Nursery | P | Asheville | naturalselectionsnursery.com |
| Wilbud Natives Nursery | Q | Marshall | http://www.wilbudnatives.com/ |
| B.B. Barns The Garden Company | R | Asheville | http://bbbarns.com/ |

PLEASE ALERT BEE CITY USA AT BEECITYUSA@GMAIL.COM IF YOU FIND ERRORS OR WISH TO BE ADDED TO THIS LIST.